excelsion

Excelsior PR-930

Excelsior Performance Finish Remover

Version Revision Date: MSDS Number: Date of last issue: 1.1 11/15/2021 PR-930 03/04/2016

SECTION 1. IDENTIFICATION

Product Name : Excelsior Performance Finish Remover

Product Code : PR-930 Supplier : RHC

Address : 1602 N. Union St. Fostoria, OH 44830

Telephone : (844) 393 - 4044 **Fax** : (419) 436 - 2482

Emergency Telephone : (CHEMTREC): (800) 424-9300

Number (CHEMTREC International): (703) 527-3887

Industrial Health/Spill Emergency: (706) 277-1300

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification : H227 – Flam. Liq. 4

H315 – Skin Corr. 2 H320 – Eye Dam. 2B

See section 16 for full text of H-Phrases

GHS Label Elements

Hazard Pictograms :



Signal Word : Warning

Hazard Statement : H227 - Combustible liquid.

H315 + H320 - Causes skin and eye irritation.

Precautionary Statement : Prevention:

P210 - Keep away from heat/sparks/open flames/hot surfaces.

P264 - Wash skin thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product. P280 - Wear protective gloves/ protective clothing/ eye

protection/ face protection.

Response:

P302 + P353 - IF ON SKIN: Rinse skin with

water/shower.

P332 + P313 - If skin irritation occurs, get medical

advice/attention.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P337 + P313 - If eye/irritation persists: Get medical advice/

attention. **Disposal:**

P501 - Dispose of contents/ container to an approved waste

disposal plant.



Excelsior PR-930

Excelsior Performance Finish Remover

Version Revision Date: MSDS Number: Date of last issue: 1.1 11/15/2021 PR-930 03/04/2016

Other Hazards : None listed

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Classification : Mixtures **Description** : Cleaner

Hazardous Components

CAS#	Chemical Name	Percentage
Proprietary	Surfactant Blend	20 - 30
100-51-6	Benzyl Alcohol	10 – 20
29911-27-1	Dipropylene Glycol n-Propyl Ether	5 – 10
141-43-5	2-aminoethanol	1 – 5
1300-72-7	Sodium Xylene Sulfonate	1 – 5
78-51-3	Tributoxyethyl Phosphate	1 - 5

SECTION 4. FIRST AID MEASURES

Inhalation : If inhaled, move to fresh air in case of accidental inhalation of

vapors. Provide oxygen or artificial respiration if needed. Call

a physician or poison control center immediately.

Skin Contact : In case of skin contact, wash off immediately with soap and

plenty of water while removing all contaminated clothes and

shoes. If symptoms persist, call a physician.

Eye Contact : In case of eye contact, remove contact lens and rinse

immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Seek

medical advice.

Ingestion : Do not induce vomiting without medical advice. If conscious,

drink plenty of water. Never give anything by mouth to an

unconscious person.

Most Important Symptoms and effects, Both Acute and Delayed

Eye Contact : Causes eye irritation.

Skin Contact : Causes skin irritation.

SECTION 5. FIREFIGHTING MEASURES

Suitable Extinguishing : Foam

Media Carbon dioxide (CO2)

ABC powder Water mist

Specific Hazards During

Firefighting

: Burning produces irritant fumes. Exposure to decomposition

products may be a hazard to health.

Excelsior PR-930

Excelsior Performance Finish Remover

Date of last issue: Version Revision Date: MSDS Number: 1.1 11/15/2021 PR-930 03/04/2016

Specific Extinguishing

Methods

: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special Protective Equipment for Firefighters In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to

decomposition products may be a hazard to health.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment. Ensure adequate ventilation. Material can create slippery conditions. Use nonslip safety shoes in areas where spills or leaks can occur.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Do not allow contact with soil, surface or ground water. Do not allow uncontrolled discharge of product into the environment.

Methods and Materials for Containment and Cleaning

Up

Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel. Pick up and transfer to properly labelled containers. Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on Protection Against Fire and Explosion : The product is flammable but not readily ignited.

Advice on Safe Handling

: Wear personal protective equipment. Handle with care. Take care to avoid waste and spillage when weighing, loading and mixing the product.

Conditions for Safe

Storage

: No smoking. Keep in properly labelled containers. Observe label precautions. Keep containers tightly closed in a dry, cool and well-ventilated place.

Materials to Avoid

Do not freeze. Keep away from oxidizing agents and strongly acid or alkaline materials. Keep away from food and drink. Keep away from tobacco products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with Workplace Control Parameters

Components	CAS-No.	Value Type (Form of Exposure)	Control Parameters / Permissible Concentration	Basis
Tributoxyethyl Phosphate	78-51-3	TWA	25 ppm	OSHA



Excelsior PR-930

Excelsior Performance Finish Remover

Version Revision Date: MSDS Number: Date of last issue: 1.1 11/15/2021 PR-930 03/04/2016

		TWA	20 ppm	ACGIH
2-aminoethanol	141-43-5	TWA	6 ppm	OSHA (PEI)
Benzyl Alcohol	100-51-6	TWA	6 mg/m3	Osha (PEL)

Exposure Controls

Engineering Controls : Ensure adequate ventilation, especially in confined areas.

Maintain air concentrations below occupational exposure standards. Ensure all national/local regulations are observed.

Environmental Exposure

Controls

: Do not allow product to be released into the environment.

Consumer Exposure

Controls

: Do not eat, drink or smoke during use.

Personal Protective Equipment

Respiratory Protection: Use a NIOSH-approved respirator or self-contained breathing

apparatus whenever exposure may exceed established Oc-

cupational Exposure Limits.

Hand Protection : Wear impervious gloves.

Eye Protection : Wear safety glasses with side-shields or tightly fitting safety

goggles.

Skin & Body Protection : Wear suitable protective, chemically resistant clothing and

footwear. Rinse skin after contact. Change contaminated

clothing before reuse.

Protective Measures : Avoid contact with skin. When using do not eat, drink or

smoke. Wear personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous

substance at the specific workplace.

Hygiene Measures : Do not smoke. Keep away from food and drink. Avoid contact

with skin, eyes and clothing. Change working clothes after each workshift. Remove and wash contaminated clothing and

gloves, including the inside, before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid Color : Clear

Odor : Characteristic



Excelsior PR-930

Excelsior Performance Finish Remover

Version Revision Date: MSDS Number: Date of last issue: 1.1 11/15/2021 PR-930 03/04/2016

pH : 11

Melting Point / Range : No data available

Freezing Point : No data available

Boiling Point / Range : 212 °F (100° C)

Flash Point : 167 °F (75° C)

Flammability : No data available

Auto-Ignition Temperature : No data available

Decomposition Temperature

: No data available

Upper & Lower

Flammability Limit

: None

Specific Gravity : 1.007

Water Solubility : Completely soluble

Solvent Solubility : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under normal conditions.

Chemical Stability : Stable under recommended handling and storage conditions

(see section 7).

Possibility of Hazardous

Reactions

: None known.

Conditions to Avoid : Protect from freezing.

Incompatible Materials : Strong acids, strong bases, strong oxidizers.

Hazardous Decomposition

Products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of

nitrogen (NOx), dense black smoke.

SECTION 11. TOXICOLOGICAL INFORMATION

Toxicological Effects (Product)

Acute Toxicity : None

Skin Corrosion / Irritation : May cause skin irritation.



Excelsior PR-930

Excelsior Performance Finish Remover

Version Revision Date: MSDS Number: Date of last issue: 1.1 11/15/2021 PR-930 03/04/2016

Serious Eye Damage /

Irritation

: May cause eye irritiation.

Respiratory or Skin

Sensitization

: Not classified

Germ Cell Mutagenicity : Not classified

Teratogenicity : Not classified

Carcinogenicity : Not classified

Reproductive Toxicity : Not classified

Aspiration Hazard : Not classified

Specific Target Organ Toxicity (Single or Repeated Exposure)

: Not classified

Carcinogenic Categories

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by IARC.

OSHA No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by OSHA.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential carcino-

gen by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity (Product)

Toxicity : Not available

Persistence & Degradability

: Not available

Bioaccumulative Potential : Not available

Mobility in Soil : Not available

Other Adverse Effects : None known

Excelsior PR-930





Version Revision Date: MSDS Number: Date of last issue: 1.1 11/15/2021 PR-930 03/04/2016

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Waste from Residues : Do not dispose of waste into sewer. Can be landfilled when in

accordance with federal, state/province and local regulations.

Contaminated Packaging : Clean container with water. Empty containers should be taken

to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IMDG-Code: Not regulated as a dangerous goodIATA-DGR: Not regulated as a dangerous good

UNRTDG : Not regulated as a dangerous good

National Regulation

DOT : Not regulated as a dangerous good 49 CFR : Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

SARA 302 : Immediate (acute) health hazard.

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop 65 This product does not contain any chemicals known to State

of California to cause cancer, birth defects, or any other repro-

ductive harm.

SECTION 16. OTHER INFORMATION

Revision Date : 6.8.2016

Other Information : This document has been prepared in accordance with the

SDS requirements of OSHA Hazard Communication Standard

29 CFR 1910.1200.

GHS Full Text Phrases

Grio I dii Toke I ili doco		
GHS Code	GHS Phrase	
H227	Combustible Liquid	
H315	Causes skin irritation	



Excelsior PR-930

Excelsior Performance Finish Remover

Version Revision Date: MSDS Number: Date of last issue: 1.1 11/15/2021 PR-930 03/04/2016


H320	Causes eye irritation
------	-----------------------

H227 - Combustible liquid.

H315 – Causes skin irritation.

H320 – Causes eye irritation.

Further information



Special hazard.

HMIS III:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.