Printing date 02/22/2020 Reviewed on 02/22/2020

1 Identification

· Product identifier

· Trade name: Excelsior U-705

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

RHC

1602 N. Union St. Fostoria, OH 44830 Phone (844) 393 - 4044 Fax (419) 436 - 2482

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Polypropylenglycol, Diphenylmethandiisicyanat Polymer

diphenylmethane-4,4'-di-isocyanante

diphenylmethane-2,4'-diisocyanate

Aromatisches Polyisocyanat-Prepolymer

diphenylmethane-2,2'-diisocyanate

diphenylmethanediisocyanate,isomeres and homologues

· Hazard statements

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P302+P352 If on skin: Wash with plenty of water.

(Contd. on page 2)

Printing date 02/22/2020 Reviewed on 02/22/2020

Trade name: Excelsior U-705

P308+P313 IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

P342+P311 If experiencing respiratory symptoms: Call a poison center/doctor.

Wash contaminated clothing before reuse. P363

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 0Fire = 1Reactivity = 0

· WHMIS-ratings (scale 0 - 4)



Health = *1 Fire = 1

- · Results of PBT and vPvB assessment
- · *PBT:* Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
39420-98-9	Polypropylenglycol, Diphenylmethandiisicyanat Polymer	2.5-10%
101-68-8	diphenylmethane-4,4'-di-isocyanante	≤2.5%
5873-54-1	diphenylmethane-2,4'-diisocyanate	≤2.5%
67815-87-6	Aromatisches Polyisocyanat-Prepolymer	≤2.5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

(Contd. of page 1)

Printing date 02/22/2020 Reviewed on 02/22/2020

Trade name: Excelsior U-705

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- Protective equipment:

Do not inhale explosion gases or combustion gases.

Mount respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
101-68-8	68-8 diphenylmethane-4,4'-di-isocyanante	
1305-78-8	calcium oxide	6 mg/m³
9016-87-9	6-87-9 diphenylmethanediisocyanate,isomeres and homologues 0.15 mg	
· PAC-2:		
101-68-8	diphenylmethane-4,4'-di-isocyanante	5 mg/m ³
1305-78-8	calcium oxide	110 mg/m³
9016-87-9	diphenylmethanediisocyanate,isomeres and homologues	3.6 mg/m³
PAC-3:		
101-68-8	diphenylmethane-4,4'-di-isocyanante	55 mg/m³
1305-78-8	calcium oxide	660 mg/m ³
9016-87-9	diphenylmethanediisocyanate,isomeres and homologues	22 mg/m³

– US

Printing date 02/22/2020 Reviewed on 02/22/2020

Trade name: Excelsior U-705

(Contd. of page 3)

7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

101-68-8 diphenylmethane-4,4'-di-isocyanante

PEL Ceiling limit value: 0.2 mg/m³, 0.02 ppm
REL Long-term value: 0.05 mg/m³, 0.005 ppm
Ceiling limit value: 0.2* mg/m³, 0.02* ppm

*10-min

TLV Long-term value: 0.051 mg/m³, 0.005 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Breathing equipment:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

- · Protection of hands: Not required.
- · Material of gloves

Butyl rubber, BR

PVC gloves

Rubber gloves

Nitrile rubber, NBR

· As protection from splashes gloves made of the following materials are suitable: Natural rubber, NR

(Contd. on page 5)

Printing date 02/22/2020 Reviewed on 02/22/2020

Trade name: Excelsior U-705

· Eye protection:

(Contd. of page 4)



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Solid

Color:Odor:Odor threshold:pH-value:Cream colored CharacteristicNot determined.

· Change in condition

Boiling point/Boiling range:

Undetermined.

212 °C (413.6 °F)

Flammability (solid, gaseous):

Not applicable.

1gnition temperature:

520 °C (968 °F)

Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.

Upper: Not determined.

Vapor pressure: Not determined.

• Density at 20 °C (68 °F): 1.4 g/cm³ (11.683 lbs/gal)

Relative density
Vapor density
Evaporation rate
Not determined.
Not determined.
Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic at 20 °C (68 °F): 100,000 mPas Kinematic: Not determined.

· Solvent content:

VOC Content: 0.00 % 0.00 %

• Other information No further relevant information available.

US ·

Printing date 02/22/2020 Reviewed on 02/22/2020

Trade name: Excelsior U-705

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

	Acute tox	icity.				
	· LD/LC50 values that are relevant for classification:					
101-68-8 diphenylmethane-4,4'-di-isocyanante						
Ī	Oral	LD50	>2,000 mg/kg (Ratte) (Richtlinie 84/449/EWG, B.1)			
	Dermal	LD50	>9,400 mg/kg (rab) (OECD- Prüfrichtlinie 402)			
	Inhalative	LC50/ 4h	0.368 mg/l (Ratte)			
Ī	5873-54-1 diphenylmethane-2,4'-diisocyanate					
Ī	Oral	LD50	>2,000 mg/kg (Ratte) (Richtlinie 84/449/EWG, B.1)			
	Dermal	LD50	>9,400 mg/kg (rab) (OECD- Prüfrichtlinie 402)			
	Inhalative	LC50	0.31 mg/l (Ratte) (4h, Aerosol)			
	67815-87-6 Aromatisches Polyisocyanat-Prepolymer					
	Oral	LD50	≥5,000 mg/kg (Ratte) (OECD- Prüfrichtlinie 423)			

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

· Carcinogenic categories

Carellogethe categories			
· IARC (International Agency for Research on Cancer)			
101-68-8 diphenylmethane-4,4'-di-isocyanante	3		
9016-87-9 diphenylmethanediisocyanate,isomeres and homologues	3		
· NTP (National Toxicology Program)			
None of the ingredients is listed.			
· OSHA-Ca (Occupational Safety & Health Administration)			
None of the ingredients is listed.			

US

Printing date 02/22/2020 Reviewed on 02/22/2020

Trade name: Excelsior U-705

(Contd. of page 6)

12 Ecological information

· Toxicity

· Aquatic toxicity:

101-68-8 diphenylmethane-4,4'-di-isocyanante

LC50/ 96h >1,000 mg/l (Danio rerio (Zebrabärbling)) (OECD- Prüfrichtlinie 203)

EC50 >1,000 mg/l (Daphnia magna Wasserfloh) (OECD- Prüfrichtlinie 202)

NOEC >10 mg/l (Daphnia magna Wasserfloh) (OECD- Prüfrichtlinie 202 (Fortpflanzung))

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information: keine
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: If product has aged or solidified conventional means of disposal are acceptable.
- Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· DOT, ADR, ADN, IMDG, IATA Void

UN proper shipping name

· DOT, ADR, ADN, IMDG, IATA Void

· Transport hazard class(es)

· DOT, ADR, ADN, IMDG, IATA

· Class Void

· Packing group

· DOT, ADR, IMDG, IATA Void

· Environmental hazards:

· Marine pollutant: No

Special precautions for user Not applicable.

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": Void

— US

Printing date 02/22/2020 Reviewed on 02/22/2020

Trade name: Excelsior U-705

(Contd. of page 7)

Safety, heal	th and environmental regulations/legislation specific for the substance or	r mixture
	(extremely hazardous substances):	
	ngredient is listed.	
	(Specific toxic chemical listings):	
	phenylmethane-4,4'-di-isocyanante	
	•	
,	Substances Control Act):	A OT!) /5
	calciumcarbonate	ACTIVE
	Kaolin, calciniert, Aluminiumsilicat Dorkafill 600, Dorkafill H	ACTIVE
	Polypropylenglycol, Diphenylmethandiisicyanat Polymer	ACTIVE
	diphenylmethane-4,4'-di-isocyanante	ACTIVE
	diphenylmethane-2,4'-diisocyanate	ACTIVE
	calcium oxide	ACTIVE
	Kieselsäure hydrophobiert hochdisperse	ACTIVE
	Aromatisches Polyisocyanat-Prepolymer	ACTIVE
125643-61-0	A mixture of isomers of: C7-9-alkyl-3-(3,5-di-trans-butyl-4-hydroxyphenyl) propionate	ACTIVE
Hazardous A	ir Pollutants	
101-68-8 dip	henylmethane-4,4'-di-isocyanante	
Proposition 6	55	
Chemicals ki	nown to cause cancer:	
None of the i	ngredients is listed.	
Chemicals ki	nown to cause reproductive toxicity for females:	
None of the i	ngredients is listed.	
Chemicals ki	nown to cause reproductive toxicity for males:	
	ngredients is listed.	
	nown to cause developmental toxicity:	
	ngredients is listed.	
	gredient disclosure list	
Cariadian inc		
Limit 0,1%		
Limit 0,1%	ngredients is listed.	
Limit 0,1% None of the i	ngredients is listed.	
Limit 0,1% None of the i Limit 1%		
Limit 0,1% None of the i Limit 1% None of the i	ngredients is listed.	
Limit 0,1% None of the i Limit 1% None of the i Cancerogeni	ngredients is listed. ity categories	
Limit 0,1% None of the i Limit 1% None of the i Cancerogeni EPA (Enviro	ngredients is listed. ity categories nmental Protection Agency)	D CRI
Limit 0,1% None of the i Limit 1% None of the i Cancerogeni EPA (Enviror	ngredients is listed. ity categories nmental Protection Agency) iphenylmethane-4,4'-di-isocyanante	
Limit 0,1% None of the i Limit 1% None of the i Cancerogeni EPA (Enviror 101-68-8 d 9016-87-9 d	ngredients is listed. ity categories nmental Protection Agency) iphenylmethane-4,4'-di-isocyanante iphenylmethanediisocyanate,isomeres and homologues	D, CBI CBD
Limit 0,1% None of the i Limit 1% None of the i Cancerogeni EPA (Enviror 101-68-8 d 9016-87-9 d TLV (Thresh	ngredients is listed. ity categories nmental Protection Agency) iphenylmethane-4,4'-di-isocyanante iphenylmethanediisocyanate,isomeres and homologues old Limit Value established by ACGIH)	
Limit 0,1% None of the i Limit 1% None of the i Cancerogeni EPA (Envirol 101-68-8 d 9016-87-9 d TLV (Thresh None of the i	ngredients is listed. ity categories nmental Protection Agency) iphenylmethane-4,4'-di-isocyanante iphenylmethanediisocyanate,isomeres and homologues old Limit Value established by ACGIH) ngredients is listed.	
Limit 0,1% None of the i Limit 1% None of the i Cancerogeni EPA (Enviror 101-68-8 d 9016-87-9 d TLV (Thresh None of the i	ngredients is listed. ity categories nmental Protection Agency) iphenylmethane-4,4'-di-isocyanante iphenylmethanediisocyanate,isomeres and homologues old Limit Value established by ACGIH)	D, CBI CBD

Printing date 02/22/2020 Reviewed on 02/22/2020

Trade name: Excelsior U-705

9016-87-9 diphenylmethanediisocyanate,isomeres and homologues

(Contd. of page 8)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · National regulations:
- · Technical instructions (air):

Class	Share in %
I	≤2.5

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department
- Date of preparation / last revision 02/22/2020 / 47
- · Abbreviations and acronyms:

Resp. Sens. 1: Respiratory sensitisation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Carc. 2: Carcinogenicity – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

US