# **Excelsior EW-710 Epoxy Modified Urethane B** by Roppe Corporation

**Health Product** Declaration v2.2

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 24187** 

CLASSIFICATION: 09 65 00 Resilient Flooring

PRODUCT DESCRIPTION: Excelsior EW-710 Epoxy Modified Urethane is a two-component solvent-free, epoxy adhesive formulated to permanently install luxury vinyl tile and plank flooring, resilient sheet vinyl flooring, rubber tile flooring and rubber sheet flooring and rubber and vinyl stair treads. Excelsior EW-710 Epoxy Modified Urethane has been formulated to produce a superior, hard setting bond required for use in high traffic applications.

# Section 1: Summary

#### **Basic Method / Product Threshold**

#### CONTENT INVENTORY

**Inventory Reporting Format** 

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 100 ppm ⊙ 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities

C Considered

Partially Considered

O Not Considered

Explanation(s) provided for Residuals/Impurities?

All Substances Above the Threshold Indicated Are: Characterized 

% weight and role provided for all substances.

Screened ○ Yes Ex/SC 
○ Yes 
○ No

All substances screened using Priority Hazard Lists with

results disclosed.

Identified ○ Yes Ex/SC ○ Yes ○ No.

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more

Special Condition did not follow guidance.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

**EXCELSIOR EW-710 EPOXY MODIFIED URETHANE B [ LIMESTONE** 

LT-UNK POLYETHYLENEPOLYAMINE, DIMER FATTY ACID

CONDENSATE BM-1 | MUL DIPROPYLENE GLYCOL DIBENZOATE

Nogs Silicon Dioxide BM-1 | CAN UNDISCLOSED LT-P1 | SKI | AQU

| MUL UNDISCLOSED LT-P1 | SKI | RES | MUL UNDISCLOSED LT-UNK

| SKI | EYE UNDISCLOSED NoGS UNDISCLOSED LT-P1 | MUL

UNDISCLOSED LT-1 | CAN ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

#### **INVENTORY AND SCREENING NOTES:**

Ingredients above 1000 ppm and meeting US GHS SDS disclosure requirements are disclosed.

#### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): <12 Regulatory (g/l): 50 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

listinas.

VOC emissions: VOC Emissions **VOC content: VOC Content** 

Management: ISO 9001:2015 Quality management systems

#### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

O Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:**  **SCREENING DATE: 2021-03-24 PUBLISHED DATE: 2021-03-24** EXPIRY DATE: 2024-03-24

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

#### **EXCELSIOR EW-710 EPOXY MODIFIED URETHANE B**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Partially

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are partially considered.

OTHER PRODUCT NOTES: Excelsior EW-710 Epoxy Modified Urethane has been formulated to produce a superior, hard setting bond required for use in high traffic applications. When dry does not promote growth of mold or mildew.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-24 20:18:49

%: 30.0000 - 60.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

#### POLYETHYLENEPOLYAMINE, DIMER FATTY ACID CONDENSATE

ID: 68410-23-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD	SCREENING DA	ATE: 2021-03-24 20:18:49
%: 15.0000 - 40.0000	GS: <b>BM-1</b>	RC: None	NANO: No	SUBSTANCE ROLE: Intermediate
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS	
MUL	German FEA - Substances Hazardous t Waters	o Cla	ass 2 - Hazard to	) Waters
SUBSTANCE NOTES:				

#### DIPROPYLENE GLYCOL DIBENZOATE

ID: 94-51-9

Pharos Chemical and Materials Library	HAZAND 30	ALLINING DATE	E: 2021-03-24 20:18:50
GS: NoGS	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Plasticizer
AGENCY AND LIST TITLES	WARN	NINGS	
		No warnings	found on HPD Priority Hazard Lists
	GS: <b>NoGS</b>	GS: NoGS RC: None	GS: NoGS RC: None NANO: No AGENCY AND LIST TITLES WARNINGS

SUBSTANCE NOTES:

SILICON DIOXIDE ID: 7631-86-9

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-03-24 20:18:50
%: 1.0000 - 5.0000	GS: <b>BM-1</b>	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	GHS - Australia	H350i - May cause cancer by inhalation		cer by inhalation
CAN	GHS - Japan	Carcino	ogenicity - Cateo	gory 1A [H350]
SUBSTANCE NOTES:				

HAZARD SCREENING METHO	D: Pharos Chemical and Materials Library	HAZARD SC	CREENING DATE:	2021-03-24 20:23:46
%: <b>1.0000 - 5.0000</b>	GS: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Monome
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage		
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects		c life with long lasting effects
MUL	German FEA - Substances Hazardous to Waters	Class	2 - Hazard to Wa	uters
SKI	EU - GHS (H-Statements)	H317	- May cause an a	Illergic skin reaction

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2021-03-24 20:25:42
%: 1.0000 - 5.0000	GS: LT-P1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Intermediate
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization		
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage		ere skin burns and eye damage
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
MUL	German FEA - Substances Hazardous t Waters	o Clas	s 2 - Hazard to	Waters
SKI	EU - GHS (H-Statements)	H317	7 - May cause a	an allergic skin reaction

UNDISCLOSED				ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2021-03-24 20:27:15
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Catalyst

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation

SUBSTANCE NOTES: Some material identifications are withheld and marked as "undisclosed" to protect proprietary information.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SC	DEENING DATE.	
		REENING DATE:	2021-03-24 20:28:20
%: 0.1000 - 1.0000 GS: <b>NoGS</b>	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Catalyst
HAZARD TYPE AGENCY AND LIST TITLES	WARN	IINGS	
None found		No warnings fo	ound on HPD Priority Hazard Lists

UNDISCLOSED ID: Undisclosed

SUBSTANCE NOTES: Some material identifications are withheld and marked as "undisclosed" to protect proprietary information.

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE	E: 2021-03-24 20:29:41
%: 0.1000 - 1.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
MUL	German FEA - Substances Hazardous t Waters	is to Class 2 - Hazard to Waters		aters

SUBSTANCE NOTES: Some material identifications are withheld and marked as "undisclosed" to protect proprietary information.

UNDISCLOSED					ID: Undisclosed
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING D	DATE: 2021-03-24 2	0:31:20
%: Impurity/Residual	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE	: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: This product contains a material that may be hazardous when present as an airborne dust. Since this product is in a liquid form, the material is not able to become airborne and cannot be inhaled. Thus, the hazards usually associated with this material are not applicable to this product. Some material identifications are withheld and marked as "undisclosed" to protect proprietary information.



## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	VOC Emissions		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: 11110 Airport Road Olive Branch MS 38654 CERTIFICATE URL:	ISSUE DATE: 2021-02- 22	EXPIRY DATE: 2022- 03-01	CERTIFIER OR LAB: Helmitin Inc.
CERTIFICATION AND COMPLIANCE NOTES: VOC <12g/L			
VOC CONTENT	VOC Content		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: 11110 Airport Road Olive Branch MS 38654 CERTIFICATE URL:	ISSUE DATE: 2021-02- 22	EXPIRY DATE: 2022- 03-01	CERTIFIER OR LAB: Helmitin Inc.
CERTIFICATION AND COMPLIANCE NOTES: VOC <12g/L			
MANAGEMENT	ISO 9001:2015 Quality r	management systems	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2020-06-	EXPIRY DATE: 2023-	CERTIFIER OR LAB: SGS



**CERTIFICATE URL:** 

### Section 4: Accessories

**CERTIFICATION AND COMPLIANCE NOTES:** 

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



### Section 5: General Notes

Excelsior EW-710 Epoxy Modified Urethane can be used on porous and non-porous surfaces free of moisture. Surface to be covered must be dry, clean and smooth. Any foreign materials present such as paint, grease, oil, pen markings, adhesive residues, etc. that may prevent a proper bond or migrate to the surface causing a stain must be removed. Adhesive can be used on all grades of concrete on, above or below grade in the absence of moisture. Installation of a 10 mil (0.010") or greater effective moisture retarder is recommended directly under all on and below grade concrete floors with its integrity insured. Concrete shall be prepared according to the recommendations outlined in ASTM F710 (Standard Practice for Preparing Concrete Floors to Receive Resilient Flooring). Concrete floors shall be free from crazing, dusting, spalling and any curing or sealing compounds. Concrete floors shall be tested for moisture according to the latest revision of ASTM F2170 (Standard Test Method for Determining Relative Humidity in Concrete Floor Slabs Using in situ Probes) and ASTM F1869 (Standard Test Method for Measuring Moisture Vapor Emission Rate of Concrete Subfloor Using Anhydrous Calcium Chloride. Wood floors must be double construction with a 1" minimum thickness, structurally sound, securely fastened and free from deflection/spring. Top layer of wood shall be underlayment grade plywood. Cracks and uneven surfaces must be filled with an approved cement-based patching compound.

#### MANUFACTURER INFORMATION

MANUFACTURER: Roppe Corporation
ADDRESS: 1602 North Union Street

Fostoria Ohio 44830-1158, United States

WEBSITE: http://www.roppeholdingcompany.com

CONTACT NAME: Brent Fike

TITLE: General Manager of Technical

PHONE: 419-435-8546

EMAIL: bfike@roppeholdingcompany.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### **KEY**

#### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

END Endocrine activity

**EYE** Eye irritation/corrosivity

GEN Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

#### **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.